


**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A chromogenic enzyme substrate for detecting aminopeptidase activity in microorganisms or for determining whether at least one bacterium belongs to the Gram-positive group or to the Gram-negative group according to the color thereof, characterized in that it has formula (I) below:



in which:

R<sub>1</sub> is nothing or an alkyl, allyl or aryl group,

R<sub>2</sub> consists of at least one amino acid, preferably alanine,


R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub> and R<sub>6</sub> consist, independently of one another, of H- or -O-alkyl, preferably -O-CH<sub>3</sub>,

R<sub>7</sub> consists of H, O-CH<sub>3</sub>, alkyl or halogen,


R<sub>8</sub> consists of H or Cl, and

n is an integer corresponding to 0 or 1.

2. (Original) The substrate as claimed in claim 1, characterized in that it has formula (Ia) below:




or in that it has formula (Ib) below:




3. (Original) The substrate as claimed in claim 1, characterized in that R<sub>1</sub> is a methyl or allyl group.

4. (Original) The substrate as claimed in claim 1, characterized in that it has formula (Ic) below:



or in that it has formula (Id) below:



(Id)

5. (Currently Amended) The substrate as claimed in ~~any one of claims 1 to 4~~claim 1,  
characterized in that R<sub>2</sub> or the L-alanine is coupled to a blocking agent.

6. (Currently Amended) A culture medium using at least one chromogenic enzyme  
 substrate as claimed in ~~any one of claims 1 to 5~~claim 1, alone or in combination with at least  
 one other enzyme substrate specific for an enzyme activity that is other than that detected by  
 the substrate according to the invention.

7. (Original) The medium as claimed in claim 6, characterized in that it consists of a gelled medium.

8. (Canceled).

9. (Canceled).

10. (Currently Amended) A method for detecting at least one aminopeptidase activity in microorganisms, characterized in that it consists in:

providing a culture medium as claimed in ~~either one of claims 6 and 7~~claim 6,  
seeding the medium with a biological sample to be tested,  
leaving it to incubate, and  
visualizing the presence of at least one aminopeptidase activity, alone or in combination with at least one other enzyme activity different from an aminopeptidase activity.

11. (Currently Amended) A method for differentiating bacteria in terms of whether they belong to microorganisms of the Gram-positive type or to microorganisms of the Gram-negative type, characterized in that it consists in:

providing a culture medium as claimed in ~~either one of claims 6 and 7~~claim 6,  
seeding the medium with a biological sample to be tested,  
leaving it to incubate, and  
visualizing the presence of at least one color synonymous with the presence of a microorganism or microorganisms of the Gram-negative type.

12. (Currently Amended) The method as claimed in ~~either one of claims 10 and 11~~claim 10, characterized in that, when the nitrogen in the 10-position of the acridine group is not quaternized, the presence of at least one aminopeptidase activity is visualized by adding acid, preferably hydrochloric acid, acetic acid or citric acid, to the culture.